Author Index Vol. 662

Abbott, F.S., see Palaty, J. 662(1994)85
Abe, A., see Yamane, M. 662(1994)91
Albrecht, C.F.V., see Kruger, P.B. 662(1994)71
Altschuh, D., see Zeder-Lutz, G. 662(1994)301
Alvin, J.D., see Minnigh, M.B. 662(1994)118
Antonini, R., see Betto, P. 662(1994)21
Aoki, I., see Okuda, T. 662(1994)79
Arutyunyan, A.M., see Klyushnichenko, V.E. 662(1994)363
Battersby, J.E., Guzzetta, A.W. and Hancock, W.S.
Application of capillary high-performance liquid chromatography to biotechnology, with reference to the analysis of recombinant DNA-derived human growth hormone 662(1994)335
Becquart, J., see Clerc, F.F. 662(1994)245
Betto, P., Popoli, P., Ricciarello, G., Caporali, M.G. and Antonini, R.
Simultaneous high-performance liquid chromatographic determination of adenosine and dopamine in rat striatal tissue with combined ultraviolet absorbance and electrochemical detection 662(1994)21
Bischoff, R. and Kolbe, H.V.J.
Deamidation of asparagine and glutamine residues in proteins and peptides: structural determinants and analytical methodology (Review) 662(1994)261
Bischoff, R., see Bouchon, B. 662(1994)279
Blackwell, L.F., see Smales, C.M. 662(1994)3
Boschetti, E., see Jungbauer, A. 662(1994)143
Bouchard, C., see Sautès, C. 662(1994)197
Bouchon, B., Jaquinod, M., Klarskov, K., Trottein, F., Klein, M., Van Dorsselaer, A., Bischoff, R. and Roitsch, C.
Analysis of the primary structure and post-translational modifications of the *Schistosoma mansoni* antigen *Sm*p28 by electrospray mass spectrometry 662(1994)279
Bourque, A.J. and Cohen, A.S.
Quantitative analysis of phosphorothioate oligonucleotides in biological fluids using direct injection fast anion-exchange chromatography and capillary gel electrophoresis 662(1994)343
Brinkman, U.A.Th., see Snippe, N. 662(1994)61
Büntemeyer, H., Tebbe, H., Lütkemeyer, D. and Lehmann, J.
Rapid high-performance liquid chromatographic quantification of recombinant human antithrombin III during production and purification 662(1994)209
Burton, R., see Palaty, J. 662(1994)85
Caporali, M.G., see Betto, P. 662(1994)21
Clerc, F.F., Monégier, B., Faucher, D., Cuiné, F., Pourcet, C., Holt, J.C., Tang, S.-Y., Van Dorsselaer, A., Becquart, J. and Vuilhorgne, M.
Primary structure control of recombinant proteins using high-performance liquid chromatography, mass spectrometry and microsequencing 662(1994)245
Cohen, A.S., see Bourque, A.J. 662(1994)343
Cook, J.C., see Joyce, J.G. 662(1994)325
Cooke, D., see Smales, C.M. 662(1994)3
Cuiné, F., see Clerc, F.F. 662(1994)245
Custer, L.J., see Franke, A.A. 662(1994)47
Dale Lehman, E., see Joyce, J.G. 662(1994)325
Dennis, M.F., see Stratford, M.R.L. 662(1994)15
Desiderio, D.M., see Lee, H.G. 662(1994)35
Edelbroek, P.M., see Vermeij, T.A.C. 662(1994)134
Egger, D., Reisbach, G. and Hültner, L.
Simultaneous determination of histamine and serotonin in mast cells by high-performance liquid chromatography 662(1994)103
Evangelatos, G.P., see Roboti, A. 662(1994)27
Faucher, D., see Clerc, F.F. 662(1994)245
Franke, A.A. and Custer, L.J.
High-performance liquid chromatographic assay of isoflavonoids and coumestrol from human urine 662(1994)47
Fridman, W.H., see Sautès, C. 662(1994)197
Galinha, A., see Sautès, C. 662(1994)197
Guerin, M.D., see Jenkins, M.A. 662(1994)108
Guzzetta, A.W., see Battersby, J.E. 662(1994)335
Hancock, W.S., see Battersby, J.E. 662(1994)335
Hayball, P.J., Holman, J.W. and Nation, R.L.
Influence of octanoic acid on the reversible protein binding of ketorolac enantiomers to human serum albumin (HSA): comparative liquid chromatographic studies using a HSA chiral stationary phase 662(1994)128
Holman, J.W., see Hayball, P.J. 662(1994)128
Holt, J.C., see Clerc, F.F. 662(1994)245
Hu, X., see Liu, F. 662(1994)123
Hültner, L., see Egger, D. 662(1994)103
Ithakissios, D.S., see Roboti, A. 662(1994)27
Ivanov, A.E., see Klyushnichenko, V.E. 662(1994)363
Jaquinod, M., see Bouchon, B. 662(1994)279
Jenkins, M.A., O'Leary, T.D. and Guerin, M.D.
Identification and quantitation of human urine proteins by capillary electrophoresis 662(1994)108
Josic, D., Lim, Y.-P., Štrancar, A. and Reutter, W.
Application of high-performance membrane chromatography for separation of annexins from the plasma membranes of liver and isolation of monospecific polyclonal antibodies 662(1994)217
Josic, D., Schwinn, H., Stadler, M. and Strancar, A.
Purification of factor VIII and von Willebrand factor from human plasma by anion-exchange chromatography 662(1994)181
Joyce, J.G., Cook, J.C., Przysiecki, C.T. and Dale Lehman, E.
Chromatographic separation of low-molecular-mass recombinant proteins and peptides on Superdex 30 prep grade 662(1994)325
Jungbauer, A. and Boschetti, E.
Manufacture of recombinant proteins with safe and validated chromatographic sorbents (Review) 662(1994)143
Kaplan, D.R.
Delivery of interleukin 2 for immunotherapy (Review) 662(1994)315

Klarskov, K., see Bouchon, B. 662(1994)279
Klein, M., see Bouchon, B. 662(1994)279
Klyushnichenko, V.E., Yakimov, S.A., Arutyunyan, A.M., Ivanov, A.E., Maltsev, K.V. and Wulfson, A.N.
Recombinant human insulin V. Optimization of the reversed-phase high-performance liquid chromatographic separation 662(1994)363
Kolbe, H.V.J., see Bischoff, R. 662(1994)261
Koppel, R., Litvak, M. and Solomon, B.
Affinity purification of a mannose-binding protein, a sensitive tool in the diagnostics of IgM, via site-directed phosphorylated mannan bound to alumina 662(1994)191
Koulich, D.M., Nazimov, I.V., Maltsev, K.V. and Wulfson, A.N.
Recombinant human insulin VI. Determination of recombinant human proinsulin by capillary zone electrophoresis: optimization of efficiency and selectivity 662(1994)357
Kruger, P.B., Albrecht, C.F.V., Liebenberg, R.W. and Van Jaarsveld, P.P.
Studies on hypoxoside and rooperol analogues from *Hypoxis rooperi* and *Hypoxis latifolia* and their biotransformation in man by using high-performance liquid chromatography with in-line sorption enrichment and diode-array detection 662(1994)71
Kuo, J., see Loayza, S.L. 662(1994)227
Lange, M. and Mályusz, M.
Fast method for the simultaneous determination of 2-oxo acids in biological fluids by high-performance liquid chromatography 662(1994)97
Lee, H.G. and Desiderio, D.M.
Optimization of the loading limit for capillary zone electrophoresis of synthetic opioid and tachykinin peptides: a study of the interactions among the amount of peptide, resolution, saturation, injection volume and capillary diameter 662(1994)35
Lehmann, J., see Büntemeyer, H. 662(1994)209
Li, Q., see Liu, F. 662(1994)123
Liebenberg, R.W., see Kruger, P.B. 662(1994)71
Lim, Y.-P., see Josic, D. 662(1994)217
Lingeman, H., see Snippe, N. 662(1994)61
Litvak, M., see Koppel, R. 662(1994)191
Liu, F., Hu, X. and Li, Q.
Quantitative analysis of bencynonate in human plasma using a deuterated internal standard by gas chromatography–mass spectrometry with selected-ion monitoring 662(1994)123
Livaniou, E., see Roboti, A. 662(1994)27
Loayza, S.L., Trikha, M., Markland, F.S., Riquelme, P. and Kuo, J.
Resolution of isoforms of natural and recombinant fibrolase, the fibrinolytic enzyme from *Agkistrodon contortrix contortrix* snake venom, and comparison of their EDTA sensitivities 662(1994)227
Lütkemeyer, D., see Büntemeyer, H. 662(1994)209
Maltsev, K.V., see Klyushnichenko, V.E. 662(1994)363
Maltsev, K.V., see Koulich, D.M. 662(1994)357
Mályusz, M., see Lange, M. 662(1994)97
Markland, F.S., see Loayza, S.L. 662(1994)227
Mazières, N., see Sautès, C. 662(1994)197
Minnigh, M.B., Alvin, J.D. and Zemaitis, M.A.
Determination of plasma mexiletine levels with gas chromatography–mass spectrometry and selected-ion monitoring 662(1994)118
Monégier, B., see Clerc, F.F. 662(1994)245
Motohashi, M., see Okuda, T. 662(1994)79
Nakajima, M., see Yamane, M. 662(1994)91
Nation, R.L., see Hayball, P.J. 662(1994)128
Nazimov, I.V., see Koulich, D.M. 662(1994)357
Ngo, T.T.
Rapid purification of immunoglobulin G using aza-arenophilic chromatography: novel mode of protein–solid phase interactions 662(1994)351
Okuda, T., Motohashi, M., Aoki, I. and Yashiki, T.
Sensitive determination of methotrexate in monkey plasma by high-performance liquid chromatography using on-line solid-phase extraction 662(1994)79
O'Leary, T.D., see Jenkins, M.A. 662(1994)108
Palaty, J., Burton, R. and Abbott, F.S.
Rapid assay for γ-aminobutyric acid in mouse brain synaptosomes using gas chromatography–mass spectrometry 662(1994)85
Phillips, T.M.
Immunoaffinity measurement of recombinant granulocyte colony stimulating factor in patients with chemotherapy-induced neutropenia 662(1994)307
Popoli, P., see Betto, P. 662(1994)21
Pourcet, C., see Clerc, F.F. 662(1994)245
Przysiecki, C.T., see Joyce, J.G. 662(1994)325
Reisbach, G., see Egger, D. 662(1994)103
Reutter, W., see Josic, D. 662(1994)217
Ricciarello, G., see Betto, P. 662(1994)21
Riquelme, P., see Loayza, S.L. 662(1994)227
Roboti, A., Livaniou, E., Evangelatos, G.P., Tsoupras, G., Tsolas, O. and Ithakissios, D.S.
Large-scale chromatofocusing-based method for isolating thymosin β_4 and thymosin β_9 from bovine tissues 662(1994)27
Roitsch, C., see Bouchon, B. 662(1994)279
Ruiter, F.P.M., see Snippe, N. 662(1994)61
Sautès, C., Galinha, A., Bouchard, C., Mazières, N., Spagnoli, R. and Fridman, W.H.
Recombinant soluble Fcγ receptors: production, purification and biological activities 662(1994)197
Schuberth, J.
Post-mortem test for low-boiling arson residues of gasoline by gas chromatography–ion-trap mass spectrometry 662(1994)113
Schwinn, H., see Josic, D. 662(1994)181
Smales, C.M., Cooke, D. and Blackwell, L.F.
Use of ion-exchange and hydrophobic-interaction chromatography for the rapid purification of lysozyme–estrone glucuronide conjugates 662(1994)3
Snippe, N., Van de Merbel, N.C., Ruiter, F.P.M., Steijger, O.M., Lingeman, H. and Brinkman, U.A.Th.
Automated column liquid chromatographic determination of amoxicillin and cefadroxil in bovine serum and muscle tissue using on-line dialysis for sample preparation 662(1994)61
Solomon, B., see Koppel, R. 662(1994)191
Spagnoli, R., see Sautès, C. 662(1994)197

Stadler, M., see Josic, D. 662(1994)181
Steijger, O.M., see Snippe, N. 662(1994)61
Strancar, A., see Josic, D. 662(1994)181
Štrancar, A., see Josic, D. 662(1994)217
Stratford, M.R.L. and Dennis, M.F.
Determination of adenine nucleotides by fluorescence detection using high-performance liquid chromatography and post-column derivatisation with chloroacetaldehyde 662(1994)15
Tang, S.-Y., see Clerc, F.F. 662(1994)245
Tebbe, H., see Büntemeyer, H. 662(1994)209
Trikha, M., see Loayza, S.L. 662(1994)227
Trottein, F., see Bouchon, B. 662(1994)279
Tsolas, O., see Roboti, A. 662(1994)27
Tsoupras, G., see Roboti, A. 662(1994)27
Tsuji, K.
Sodium dodecyl sulfate polyacrylamide gel- and replaceable polymer-filled capillary electrophoresis for molecular mass determination of proteins of pharmaceutical interest 662(1994)291
Van de Merbel, N.C., see Snippe, N. 662(1994)61
Van Dorsselaer, A., see Bouchon, B. 662(1994)279
Van Dorsselaer, A., see Clerc, F.F. 662(1994)245
Van Jaarsveld, P.P., see Kruger, P.B. 662(1994)71
Van Regenmortel, M.H.V., see Zeder-Lutz, G. 662(1994)301
Vermeij, T.A.C. and Edelbroek, P.M.
High-performance liquid chromatographic and megabore gas–liquid chromatographic determination of levetiracetam (ucb L059) in human serum after solid-phase extraction 662(1994)134
Vuilhorgne, M., see Clerc, F.F. 662(1994)245
Wenger, R., see Zeder-Lutz, G. 662(1994)301
Wulfson, A.N., see Klyushnichenko, V.E. 662(1994)363
Wulfson, A.N., see Koulich, D.M. 662(1994)357
Yakimov, S.A., see Klyushnichenko, V.E. 662(1994)363
Yamane, M., Abe, A. and Nakajima, M.
High-performance liquid chromatograpy–thermospray mass spectrometry of ω-hydroxy polyunsaturated fatty acids from rat brain homogenate 662(1994)91
Yashiki, T., see Okuda, T. 662(1994)79
Zeder-Lutz, G., Van Regenmortel, M.H.V., Wenger, R. and Altschuh, D.
Interaction of cyclosporin A and two cyclosporin analogs with cyclophilin: relationship between structure and binding 662(1994)301
Zemaitis, M.A., see Minnigh, M.B. 662(1994)118